

(FILE 'HOME' ENTERED AT 13:07:04 ON 15 MAR 2007)

FILE 'REGISTRY' ENTERED AT 13:07:30 ON 15 MAR 2007

L1 STRUCTURE UPLOADED

L2 1 S L1

L3 28 S L1 SSS FULL

FILE 'CAPLUS' ENTERED AT 13:08:53 ON 15 MAR 2007

L4 35 S L3

L5 4 S L4 AND (CANCER OR TUMOR OR NEOPLAS? OR PROSTATE OR COLON OR B

FILE 'USPATFULL' ENTERED AT 13:10:23 ON 15 MAR 2007

L6 23 S L3

L7 11 S L6 AND (CANCER OR TUMOR OR NEOPLAS? OR PROSTATE OR COLON OR B

L8 0 S L7 NOT PY>2001

L9 2 S L7 NOT PY>2003

=> file registry
COST IN U.S. DOLLARS

SINCE FILE	TOTAL
ENTRY	SESSION
0.21	0.21

FULL ESTIMATED COST

FILE 'REGISTRY' ENTERED AT 13:07:30 ON 15 MAR 2007
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2007 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file
provided by InfoChem.

STRUCTURE FILE UPDATES: 14 MAR 2007 HIGHEST RN 926494-79-3
DICTIONARY FILE UPDATES: 14 MAR 2007 HIGHEST RN 926494-79-3

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH December 2, 2006



Please note that search-term pricing does apply when
conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and
predicted properties as well as tags indicating availability of
experimental property data in the original document. For information
on property searching in REGISTRY, refer to:

<http://www.cas.org/ONLINE/UG/regprops.html>

=>

Uploading C:\Program Files\Stnexp\Queries\10644418terpenechroman.str



chain nodes :

12 13 14 15 16 17 18 19 20 22 23 24 25 26 27 28 29 30 31 32 33
 34 35 36 44 45 46 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62
 63 64 65
 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86
 87 88 89 90
 91 92 93 94 95 96 97 98 99 100 101 102 103 104 105 106 107 108
 109 110 111 112
 113 114 115 116 117 118 119 120 121 122 123 124 125 126 127 128 129
 130 131 132
 133 134 135 136 145 146 148

ring nodes :

1 2 3 4 5 6 7 8 9 10

chain bonds :

1-46 2-12 3-45 4-31 8-16 8-148 12-44 13-14 13-15 17-18 18-19 18-20 22-23
 23-29 24-25 24-30 25-26 27-28 28-32 32-33 33-34 33-35 33-36 48-49 49-50
 50-51 51-52
 52-53 53-54 54-55 55-56 56-57 57-58 58-59 59-60 60-61 61-62 62-63 63-64
 65-66 66-67
 67-68 68-69 68-118 69-70 70-71 71-72 72-73 72-119 73-74 74-75 75-76
 76-77 76-120 78-79
 79-80 80-81 81-82 82-83 83-84 85-86 86-87 87-88 88-89 88-101 89-90 90-91
 91-92 92-93
 92-94 95-96 95-146 96-97 96-145 97-98 97-99 99-100 102-103 103-104
 104-105 105-106
 105-115 106-107 107-108 108-109 109-110 109-116 110-111 111-112 112-113
 113-114 113-117

121-122 122-123 123-124 124-125 124-134 125-126 126-127 127-128 128-129
 128-135 129-130
 130-131 131-132 132-133 132-136
 ring bonds :
 1-2 1-6 2-3 3-4 4-5 5-6 5-7 6-10 7-8 8-9 9-10
 exact/norm bonds :
 1-46 2-12 3-45 4-31 5-7 6-10 7-8 8-9 8-16 8-148 9-10 12-44 13-14 13-15
 17-18 18-19 18-20 22-23 23-29 24-25 24-30 25-26 27-28 28-32 32-33 33-34
 33-35 33-36
 48-49 49-50 50-51 51-52 52-53 53-54 54-55 55-56 56-57 57-58 58-59 59-60
 60-61 61-62
 62-63 63-64 65-66 66-67 67-68 68-69 68-118 69-70 70-71 71-72 72-73
 72-119 73-74 74-75
 75-76 76-77 76-120 78-79 79-80 80-81 81-82 82-83 83-84 85-86 86-87 87-88
 88-89 88-101
 89-90 90-91 91-92 92-93 92-94 95-96 95-146 96-97 96-145 97-98 97-99
 99-100 102-103
 103-104 104-105 105-106 105-115 106-107 107-108 108-109 109-110 109-116
 110-111 111-112
 112-113 113-114 113-117 121-122 122-123 123-124 124-125 124-134 125-126
 126-127 127-128
 128-129 128-135 129-130 130-131 131-132 132-133 132-136
 normalized bonds :
 1-2 1-6 2-3 3-4 4-5 5-6

G1:O,N

G2:MeO,N

G3:H,CH3

G4:[*1],[*2],[*3],[*4],[*5]

G5:CH3,COOH,[*6],[*7],[*8],[*9],[*10],[*11],[*12]

Match level :

1:Atom	2:Atom	3:Atom	4:Atom	5:Atom	6:Atom	7:Atom	8:Atom	9:Atom	10:Atom
12:CLASS	13:CLASS	14:CLASS	15:CLASS	16:CLASS	17:CLASS	18:CLASS	19:CLASS		
20:CLASS	22:CLASS								
23:CLASS	24:CLASS	25:CLASS	26:CLASS	27:CLASS	28:CLASS	29:CLASS	30:CLASS		
31:CLASS	32:CLASS								
33:CLASS	34:CLASS	35:CLASS	36:CLASS	44:CLASS	45:CLASS	46:CLASS	48:CLASS		
49:CLASS	50:CLASS								
51:CLASS	52:CLASS	53:CLASS	54:CLASS	55:CLASS	56:CLASS	57:CLASS	58:CLASS		
59:CLASS	60:CLASS								
61:CLASS	62:CLASS	63:CLASS	64:CLASS	65:CLASS	66:CLASS	67:CLASS	68:CLASS		
69:CLASS	70:CLASS								
71:CLASS	72:CLASS	73:CLASS	74:CLASS	75:CLASS	76:CLASS	77:CLASS	78:CLASS		
79:CLASS	80:CLASS								
81:CLASS	82:CLASS	83:CLASS	84:CLASS	85:CLASS	86:CLASS	87:CLASS	88:CLASS		
89:CLASS	90:CLASS								
91:CLASS	92:CLASS	93:CLASS	94:CLASS	95:CLASS	96:CLASS	97:CLASS	98:CLASS		
99:CLASS	100:CLASS								
101:CLASS	102:CLASS	103:CLASS	104:CLASS	105:CLASS	106:CLASS	107:CLASS			
108:CLASS	109:CLASS								
110:CLASS	111:CLASS	112:CLASS	113:CLASS	114:CLASS	115:CLASS	116:CLASS			
117:CLASS	118:CLASS								
119:CLASS	120:CLASS	121:CLASS	122:CLASS	123:CLASS	124:CLASS	125:CLASS			
126:CLASS	127:CLASS								
128:CLASS	129:CLASS	130:CLASS	131:CLASS	132:CLASS	133:CLASS	134:CLASS			
135:CLASS	136:CLASS								
145:CLASS	146:CLASS	148:CLASS							

L1 STRUCTURE UPLOADED

=> d l1

L1 HAS NO ANSWERS

L1 STR

* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT *

Structure attributes must be viewed using STN Express query preparation.

=> s l1

SAMPLE SEARCH INITIATED 13:08:17 FILE 'REGISTRY'

SAMPLE SCREEN SEARCH COMPLETED - 270 TO ITERATE

100.0% PROCESSED 270 ITERATIONS
SEARCH TIME: 00.00.01

1 ANSWERS

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
BATCH **COMPLETE**

PROJECTED ITERATIONS: 4415 TO 6385

PROJECTED ANSWERS: 1 TO 80

L2 1 SEA SSS SAM L1

=> d l2 scan

L2 1 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN


IN Ethanol, 2-[[[(2R)-3,4-dihydro-2,5,7,8-tetramethyl-2-[(4R,8R)-4,8,12-trimethyltridecyl]-2H-1-benzopyran-6-yl]oxy]-, hydrogen sulfate, compd. with N,N-diethylethanamine (1:1) (9CI)

MF C31 H54 O6 S . C6 H15 N

CM 1


Absolute stereochemistry.

PAGE 1-A



PAGE 1-B

—CHMe2



ALL ANSWERS HAVE BEEN SCANNED

=> s l1 sss full
 FULL SEARCH INITIATED 13:08:33 FILE 'REGISTRY'
 FULL SCREEN SEARCH COMPLETED - 5764 TO ITERATE

100.0% PROCESSED 5764 ITERATIONS
 SEARCH TIME: 00.00.01


28 ANSWERS

L3 28 SEA SSS FUL L1

=> d l3 scan

L3 28 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN
 IN Acetamide, 2-[[[(2R)-3,4-dihydro-2,5,7,8-tetramethyl-2-[(4R,8R)-4,8,12-trimethyltridecyl]-2H-1-benzopyran-6-yl]oxy]- (9CI)
 MF C31 H53 N O3

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):4

L3 28 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN
 IN 4-Thia-1-azabicyclo[3.2.0]heptane-2-carboxylic acid, 6-[[[[[(3,4-dihydro-2,2,5,7,8-pentamethyl-2H-1-benzopyran-6-yl)oxy]acetyl]amino] (4-hydroxyphenyl)acetyl]amino]-3,3-dimethyl-7-oxo-, [2S-[2α,5α,6β(S*)]]- (9CI)
 MF C32 H39 N3 O8 S

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 28 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN
 IN Glycine, N-(carboxymethyl)-N-[[[(2R)-3,4-dihydro-2,5,7,8-tetramethyl-2-
 [(4R,8R)-4,8,12-trimethyltridecyl]-2H-1-benzopyran-6-yl]oxy]acetyl]- (9CI)
 MF C35 H57 N O7

Absolute stereochemistry.

PAGE 1-A




PAGE 1-B



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 28 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN
 IN 4-Thia-1-azabicyclo[3.2.0]heptane-2-carboxylic acid, 6-[[[[[(3,4-dihydro-
 2,2,7,8-tetramethyl-2H-1-benzopyran-6-yl)oxy]acetyl]amino]phenylacetyl]ami
 no]-3,3-dimethyl-7-oxo-, [2S-[2α,5α,6β(S*)]]- (9CI)
 MF C31 H37 N3 O7 S

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 28 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN
 IN Ethanol, 2-[[[(2R)-3,4-dihydro-2,5,7,8-tetramethyl-2-[(4R,8R)-4,8,12-trimethyltridecyl]-2H-1-benzopyran-6-yl]oxy]-, hydrogen sulfate, compd.
 with N,N-diethylethanamine (1:1) (9CI)
 MF C31 H54 O6 S . C6 H15 N

CM 1

Absolute stereochemistry.


PAGE 1-A



PAGE 1-B

—CHMe₂

CM 2



HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):0

=> file caplus
COST IN U.S. DOLLARS

SINCE FILE	TOTAL
ENTRY	SESSION
172.55	172.76

FULL ESTIMATED COST

FILE 'CAPLUS' ENTERED AT 13:08:53 ON 15 MAR 2007
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 15 Mar 2007 VOL 146 ISS 12
FILE LAST UPDATED: 14 Mar 2007 (20070314/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

<http://www.cas.org/infopolicy.html>

=> s 13

L4 35 L3

=> s 14 and (cancer or tumor or neoplas? or prostate or colon or breast)


308833 CANCER
401123 TUMOR
484846 NEOPLAS?
50886 PROSTATE
60156 COLON
75237 BREAST

L5 4 L4 AND (CANCER OR TUMOR OR NEOPLAS? OR PROSTATE OR COLON OR BREAST)

=> d 15 ti abs bib

L5 ANSWER 1 OF 4 CAPLUS COPYRIGHT 2007 ACS on STN
TI Preparation of tocopherols, tocotrienols, other chroman and side chain derivatives for therapeutic use in the prevention and treatment of cancer

GI



AB Chroman derivs., such as I [X = O, S, NR6; Y = O, NR6; R1 = carboxyalkyl, carboxyalkenyl, etc.; R2, R3, R4 = H, Me, alkyl, etc.; R5 = alkyl, alkenyl, etc.; R6 = H, alkyl], were prepared for use in antitumor pharmaceutical compns. for inducing apoptosis in a cell, particularly a cancer cell. Thus, α -tocopherol derivative II was prepared in 88% yield by a reaction of BrCH₂CO₂Me with (R,R,R)- α -tocopherol using NaOH in DMF. The prepared chromans were assayed for growth inhibitory and apoptotic activity against a variety of human cancer cell lines.

AN 2004:618733 CAPLUS <<LOGINID::20070315>>

DN 141:174332

TI Preparation of tocopherols, tocotrienols, other chroman and side chain derivatives for therapeutic use in the prevention and treatment of cancer

IN Sanders, Bob G.; Kline, Kimberly; Hurley, Laurence; Gardner, Robb; Menchaca, Marla; Yu, Weiping; Ramanan, Puthucode N.; Liu, Shenquan; Israel, Karen

PA Research Development Foundation, USA

SO U.S., 48 pp., Cont.-in-part of U.S. Ser. No. 404,001.
CODEN: USXXAM

DT Patent

LA English

FAN.CNT 4

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
	-----	----	-----	-----	-----
PI	US 6770672	B1	20040803	US 2000-502592	20000211
	US 6417223	B1	20020709	US 1999-404001	19990923
	CA 2399802	A1	20010816	CA 2001-2399802	20010209
	WO 2001058889	A1	20010816	WO 2001-US4168	20010209
	W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW				
	RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
	EP 1254130	A1	20021106	EP 2001-909008	20010209
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR				
	JP 2004504268	T	20040212	JP 2001-558439	20010209
	NZ 520798	A	20040528	NZ 2001-520798	20010209
	CN 1529701	A	20040915	CN 2001-807536	20010209
	RU 2263672	C2	20051110	RU 2002-124135	20010209
	US 2002107207	A1	20020808	US 2001-8066	20011105

US 6703384	B2	20040309		
US 2004235938	A1	20041125	US 2003-644418	20030820
US 2004097431	A1	20040520	US 2003-695275	20031028
PRAI US 1998-101543P	P	19980923		
US 1999-404001	A2	19990923		
US 1998-101542P	P	19980923		
US 2000-502592	A	20000211		
WO 2001-US4168	W	20010209		
US 2001-8066	A3	20011105		

OS MARPAT 141:174332

RE.CNT 15 THERE ARE 15 CITED REFERENCES AVAILABLE FOR THIS RECORD


ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> d 15 2-4 ti abs bib

L5 ANSWER 2 OF 4 CAPLUS COPYRIGHT 2007 ACS on STN

TI Preparation of tocopherols, tocotrienols, other chromans and side chain derivs. as potential antiproliferative and proapoptotic agents

GI



AB Derivs. of tocopherol, tocotrienol and other chromans of formula I (X and Y independently are oxygen, nitrogen or sulfur; when Y is nitrogen, nitrogen is substituted with R6 and R6 = H or Me; R1 = alkyl, alkenyl, alkynyl, aryl, heteroaryl, carboxylic acid, carboxylate, carboxamide, ester, thioamide, thiolacid, thiol ester, saccharide, alkoxy-linked saccharide, amine, sulfonate, sulfate, phosphate, alc., ethers or nitrites; R2, R3 = hydrogen or R4; R4 = Me, benzyl carboxylic acid, benzyl carboxylate, benzyl carboxamide, benzyl ester, saccharide or amine; and R5 = alkenyl) were prepared as antiproliferative and proapoptotic agents for the potential treatment of cell proliferative diseases. Thus, α -tocopherol was treated with Me bromoacetate and NaOH in N, N-dimethylformamide to give II. II showed effective growth inhibitory properties (apoptotic inducing) in a wide variety of human cancer cell lines, including breast, prostate, cervical, and ovarian cancers with EC50 values ranging from 1-20 μ g/mL.

AN 2002:595501 CAPLUS <<LOGINID::20070315>>

DN 137:140656


TI Preparation of tocopherols, tocotrienols, other chromans and side chain derivs. as potential antiproliferative and proapoptotic agents

IN Sanders, Bob G.; Kline, Kimberly; Yu, Weiping

PA Research Development Foundation, USA
 SO U.S. Pat. Appl. Publ., 44 pp., Cont.-in-part of U. S. Ser. No. 502,592.
 CODEN: USXXCO
 DT Patent
 LA English
 FAN.CNT 4

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	US 2002107207	A1	20020808	US 2001-8066	20011105
	US 6703384	B2	20040309		
	US 6417223	B1	20020709	US 1999-404001	19990923
	CN 1706838	A	20051214	CN 2005-10003855	19990923
	US 6770672	B1	20040803	US 2000-502592	20000211
	US 2002156024	A1	20021024	US 2002-122019	20020412
	US 6645998	B2	20031111		
	WO 2003039461	A2	20030515	WO 2002-US35147	20021101
	WO 2003039461	A3	20031113		
	W: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZA, ZW				
	RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
	AU 2002353971	A1	20030519	AU 2002-353971	20021101
	US 2004097431	A1	20040520	US 2003-695275	20031028
PRAI	US 1998-101542P	P	19980923		
	US 1999-404001	A2	19990923		
	US 2000-502592	A2	20000211		
	US 1998-101543P	P	19980923		
	CN 1999-812829	A3	19990923		
	US 2001-8066	A	20011105		
	WO 2002-US35147	W	20021101		
OS	MARPAT 137:140656				

L5 ANSWER 3 OF 4 CAPLUS COPYRIGHT 2007 ACS on STN
 TI Preparation of tocopherols, tocotrienols, other chroman and side chain derivatives that induce cell apoptosis for therapeutic use as antiproliferative agents
 GI



AB Tocopherol analogs, such as I [X = O, NH, S; Y = O, NH, S; R1 = alkyl, alkenyl, alkynyl, aryl, heteroaryl, carboxyl, carboxamide, thiocarboxyl, etc.; R2, R3, R4 = H, Me, benzyl, carboxyl, carboxamide, amine, saccharide; R5 = alkyl, alkenyl, alkynyl, aryl, heteroaryl, carboxyl, carboxamide], were prepared for pharmaceutical use as antiproliferative agents which induce cell apoptosis for treatment of cancers and diseases involving cell proliferation, such as autoimmune diseases, psoriasis, etc.. Thus, (R,R,R)- α -tocopherol derivative II was prepared in 88% yield by condensation of (R,R,R)- α -tocopherol and BrCH₂CO₂Me in DMF using NaOH followed by hydrolysis with 5 N HCl. The prepared tocopherol analogs were tested for their ability to induce apoptosis in a number of cancer cell lines, such as breast, cervical, colon, prostate, etc.

AN 2001:597976 CAPLUS <<LOGINID::20070315>>

DN 135:166941

TI Preparation of tocopherols, tocotrienols, other chroman and side chain derivatives that induce cell apoptosis for therapeutic use as antiproliferative agents

IN Sanders, Robert G.; Kline, Kimberly; Hurley, Laurence; Gardner, Robb; Menchaca, Marla; Yu, Weiping; Ramanam, Puthucode N.; Liu, Shenquan; Israel, Karen

PA Research Development Foundation, USA

SO PCT Int. Appl., 120 pp.

CODEN: PIXXD2

DT Patent

LA English

FAN.CNT 4

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2001058889	A1	20010816	WO 2001-US4168	20010209
	W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW				
	RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
	US 6770672	B1	20040803	US 2000-502592	20000211
	CA 2399802	A1	20010816	CA 2001-2399802	20010209
	EP 1254130	A1	20021106	EP 2001-909008	20010209
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR				
	JP 2004504268	T	20040212	JP 2001-558439	20010209
	NZ 520798	A	20040528	NZ 2001-520798	20010209
	RU 2263672	C2	20051110	RU 2002-124135	20010209
PRAI	US 2000-502592	A	20000211		
	US 1998-101543P	P	19980923		
	US 1999-404001	A2	19990923		
	WO 2001-US4168	W	20010209		

OS MARPAT 135:166941



RE.CNT 9 THERE ARE 9 CITED REFERENCES AVAILABLE FOR THIS RECORD

ALL CITATIONS AVAILABLE IN THE RE FORMAT

L5 ANSWER 4 OF 4 CAPLUS COPYRIGHT 2007 ACS on STN

TI Preparation of tocopherols, tocotrienols, other chroman and side chain derivatives for use as antitumor agents and for inducing cell apoptosis

GI



AB Chromans I [R1 = alkyl, alkenyl, alkynyl, aryl, herteroaryl, carboxyl, carboxamide, thioamide, saccharide, amine, sulfate, phosphate, etc.; R2, R3, R4 = H, Me, benzylcarboxylate, saccharide, amino, etc.; R5 = alkyl, alkenyl, alkynyl, aryl, herteroaryl, carboxyl, carboxamide; X = O, NH, S] were prepared for pharmaceutical use as antitumor agents and cell apoptosis inducing agents. Thus, tocopherol derivative II (R1 = CH₂CO₂H, X = O) was prepared in 88% yield via O-alkylation of (+)- α -tocopherol with Me bromoacetate. The prepared chromans were tested for cell apoptosis activity against a variety of cancer cell lines.

AN 2000:209907 CAPLUS <<LOGINID::20070315>>

DN 132:237223

TI Preparation of tocopherols, tocotrienols, other chroman and side chain derivatives for use as antitumor agents and for inducing cell apoptosis

IN Kline, Kimberly; Sanders, Bob G.; Hurley, Laurence; Gardner, Robb; Menchaca, Marla; Yu, Weiping; Ramanan, Puthucode N.; Liu, Shenquan; Israel, Karen

PA Research Development Foundation, USA

SO PCT Int. Appl., 101 pp.

CODEN: PIXXD2

DT Patent

LA English

FAN.CNT 4

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2000016772	A1	20000330	WO 1999-US21778	19990923
W: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZA, ZW				
RW: GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
CA 2345079	A1	20000330	CA 1999-2345079	19990923
AU 9961553	A1	20000410	AU 1999-61553	19990923
AU 757013	B2	20030130		
EP 1115398	A1	20010718	EP 1999-948352	19990923
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO				
CN 1325303	A	20011205	CN 1999-812829	19990923
JP 2002526446	T	20020820	JP 2000-573733	19990923
NZ 510732	A	20040130	NZ 1999-510732	19990923
RU 2232758	C2	20040720	RU 2001-111019	19990923
CN 1706838	A	20051214	CN 2005-10003855	19990923

IL 142082	A	20051218	IL 1999-142082	19990923
TW 592695	B	20040621	TW 1999-88120073	19991117
ZA 2001002057	A	20020319	ZA 2001-2057	20010313
PRAI US 1998-101542P	P	19980923		
CN 1999-812829	A3	19990923		
WO 1999-US21778	W	19990923		

OS MARPAT 132:237223

RE.CNT 3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> file uspatfull

COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	24.79	197.55

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE	TOTAL
	ENTRY	SESSION
CA SUBSCRIBER PRICE	-3.12	-3.12

FILE 'USPATFULL' ENTERED AT 13:10:23 ON 15 MAR 2007
CA INDEXING COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY (ACS)

FILE COVERS 1971 TO PATENT PUBLICATION DATE: 13 Mar 2007 (20070313/PD)
FILE LAST UPDATED: 13 Mar 2007 (20070313/ED)
HIGHEST GRANTED PATENT NUMBER: US7191469
HIGHEST APPLICATION PUBLICATION NUMBER: US2007056070
CA INDEXING IS CURRENT THROUGH 13 Mar 2007 (20070313/UPCA)
ISSUE CLASS FIELDS (/INCL) CURRENT THROUGH: 13 Mar 2007 (20070313/PD)
REVISED CLASS FIELDS (/NCL) LAST RELOADED: Oct 2006
USPTO MANUAL OF CLASSIFICATIONS THESAURUS ISSUE DATE: Oct 2006

=> s 13

L6 23 L3

=> s 16 and (cancer or tumor or neoplas? or prostate or colon or breast)

128026 CANCER
100882 TUMOR
36619 NEOPLAS?
40358 PROSTATE
48313 COLON
60307 BREAST

L7 11 L6 AND (CANCER OR TUMOR OR NEOPLAS? OR PROSTATE OR COLON OR BREAST)

=> d 17 1-11 ti

L7 ANSWER 1 OF 11 USPATFULL on STN

TI Pharmaceutical compositions with synchronized solubilizer release

L7 ANSWER 2 OF 11 USPATFULL on STN

TI Pharmaceutical compositions with synchronized solubilizer release

L7 ANSWER 3 OF 11 USPATFULL on STN

TI Pharmaceutical compositions with synchronized solubilizer release

L7 ANSWER 4 OF 11 USPATFULL on STN

TI Compositions for oral administration of camptothecin and its analogs

L7 ANSWER 5 OF 11 USPATFULL on STN

TI Tocopherols, tocotrienols, other chroman and side chain derivatives and uses thereof

L7 ANSWER 6 OF 11 USPATFULL on STN
 TI Tocopherols, tocotrienols, other chroman and side chain derivatives and
 uses thereof

L7 ANSWER 7 OF 11 USPATFULL on STN
 TI Tocopherols, tocotrienols, other chroman and side chain derivatives and
 uses thereof

L7 ANSWER 8 OF 11 USPATFULL on STN
 TI Inhalation compositions, methods of use thereof, and process for
 preparation of same

L7 ANSWER 9 OF 11 USPATFULL on STN
 TI Tocopherols, tocotrienols, other chroman and side chain derivatives and
 uses thereof

L7 ANSWER 10 OF 11 USPATFULL on STN
 TI Tocopherols, tocotrienols, other chroman and side chain derivatives and
 uses thereof

L7 ANSWER 11 OF 11 USPATFULL on STN
 TI Tocopherols, tocotrienols, other chroman and side chain derivatives and
 uses thereof

=> s l7 not py>2001
 1809034 PY>2001
 L8 0 L7 NOT PY>2001

=> s l7 not py>2003
 1278672 PY>2003
 L9 2 L7 NOT PY>2003

=> d l9 1-2 ti abs bib

L9 ANSWER 1 OF 2 USPATFULL on STN
 TI Tocopherols, tocotrienols, other chroman and side chain derivatives and
 uses thereof
 AB The present invention provides an antiproliferative compound having the
 structural formula ##STR1##

wherein X is oxygen, nitrogen or sulfur; R.sup.1 is alkyl, alkenyl,
 alkynyl, aryl, heteroaryl, carboxylic acid, carboxylate, carboxamide,
 ester, thioamide, thiolacid, thiolester, saccharide, alkoxy-linked
 saccharide, amine, sulfonate, sulfate, phosphate, alcohol, ethers and
 nitriles; R.sup.2 is hydrogen, methyl, benzyl carboxylic acid, benzyl
 carboxylate, benzyl carboxamide, benzylester, saccharide and amine;
 R.sup.3 is selected from the group consisting of hydrogen, methyl,
 benzyl carboxylic acid, benzyl carboxylate, benzyl carboxamide,
 benzylester, saccharide and amine; R.sup.4 is of methyl, benzyl
 carboxylic acid, benzyl carboxylate, benzyl carboxamide, benzylester,
 saccharide and amine; and R.sup.5 is alkyl, alkenyl, alkynyl, aryl,
 heteroaryl, carboxyl, amide and ester. Also provided is a method for
 inducing apoptosis in a cell comprising administering a composition
 comprising a compound.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AN 2002:280579 USPATFULL <<LOGINID::20070315>>
 TI Tocopherols, tocotrienols, other chroman and side chain derivatives and
 uses thereof
 IN Sanders, Bob G., Austin, TX, UNITED STATES
 Kline, Kimberly, Austin, TX, UNITED STATES
 Hurley, Laurence, Austin, TX, UNITED STATES
 Gardner, Robb, Austin, TX, UNITED STATES

Menchaca, Marla, Austin, TX, UNITED STATES
Yu, Weiping, Austin, TX, UNITED STATES
Ramanan, Puthucode N., Austin, TX, UNITED STATES
Liu, Shenquan, Austin, TX, UNITED STATES
Israel, Karen, Austin, TX, UNITED STATES

PA Research Development Foundation (U.S. corporation)
PI US 2002156024 A1 20021024
US 6645998 B2 20031111
AI US 2002-122019 A1 20020412 (10)
RLI Division of Ser. No. US 1999-404001, filed on 23 Sep 1999, GRANTED, Pat.
No. US 6417223
PRAI US 1998-101542P 19980923 (60)
DT Utility
FS APPLICATION
LREP Benjamin Aaron Adler, ADLER & ASSOCIATES, 8011 Candle Lane, Houston, TX,
77071
CLMN Number of Claims: 20
ECL Exemplary Claim: 1
DRWN 14 Drawing Page(s)
LN.CNT 2170
CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L9 ANSWER 2 OF 2 USPATFULL on STN
TI Tocopherols, tocotrienols, other chroman and side chain derivatives and
uses thereof
AB The present invention provides an antiproliferative compound having the
structural formula ##STR1##

wherein X is oxygen, nitrogen or sulfur; R.sup.1 is alkyl, alkenyl,
alkynyl, aryl, heteroaryl, carboxylic acid, carboxylate, carboxamide,
ester, thioamide, thiolacid, thiolester, saccharide, alkoxy-linked
saccharide, amine, sulfonate, sulfate, phosphate, alcohol, ethers and
nitriles; R.sup.2 is hydrogen, methyl, benzyl carboxylic acid, benzyl
carboxylate, benzyl carboxamide, benzylester, saccharide and amine;
R.sup.3 is selected from the group consisting of hydrogen, methyl,
benzyl carboxylic acid, benzyl carboxylate, benzyl carboxamide,
benzylester, saccharide and amine; R.sup.4 is of methyl, benzyl
carboxylic acid, benzyl carboxylate, benzyl carboxamide, benzylester,
saccharide and amine; and R.sup.5 is alkyl, alkenyl, alkynyl, aryl,
heteroaryl, carboxyl, amide and ester. Also provided is a method for
inducing apoptosis in a cell comprising administering a composition
comprising a compound.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AN 2002:168253 USPATFULL <<LOGINID::20070315>>
TI Tocopherols, tocotrienols, other chroman and side chain derivatives and
uses thereof
IN Sanders, Bob G., Austin, TX, United States
Kline, Kimberly, Austin, TX, United States
Hurley, Laurence, Austin, TX, United States
Gardner, Robb, Austin, TX, United States
Menchaca, Marla, Austin, TX, United States
Yu, Weiping, Austin, TX, United States
Ramanan, Puthucode N., Austin, TX, United States
Liu, Shenquan, Austin, TX, United States
Israel, Karen, Austin, TX, United States
PA Research Development Foundation, Carson City, NV, United States (U.S.
corporation)
PI US 6417223 B1 20020709
AI US 1999-404001 19990923 (9)
PRAI US 1998-101542P 19980923 (60)
DT Utility
FS GRANTED
EXNAM Primary Examiner: Wilson, James O.; Assistant Examiner: Maier, Leigh C.

LREP Adler, Benjamin Aaron
CLMN Number of Claims: 3
ECL Exemplary Claim: 1
DRWN 14 Drawing Figure(s); 14 Drawing Page(s)
LN.CNT 1959
CAS INDEXING IS AVAILABLE FOR THIS PATENT.